

# Index

**Note to the Reader:** Throughout this index **boldfaced** page numbers indicate primary discussions of a topic. *Italicized* page numbers indicate illustrations.

## A

- accounts and Accounts page
  - client push installation, 255, 255
  - Exchange Server, **607**, 607
  - Network Access, **420**, 420
- actions and Actions page
  - application deployment, 310
  - client installation, 260
  - scheduled tasks, **734**, 734
  - software updates, 355, 355
- Active Directory (AD)
  - discovery methods, **51–52**, **236–237**, 236–238
    - forests, **238**, 238–239
    - groups, **241**, 241
    - heartbeat, **241–243**, 244
    - network, **242**
    - scheduling, **243–244**, 243–245
    - system, **239–240**, 240
    - users, **240**
  - management points, **177–178**
  - schema, **36–37**
  - site boundaries, **44–45**
  - system health validator points, 181
- Active Directory Container dialog box, 236, 236
- Active Directory Domain Services, 52
- Active Directory Membership setting, 367, 372
- Active Settings page, 200, 367, 368–369, 373
- Active Site System Roles Wizard, 368–369, 368–369
- active software update points setup, **366**
  - Central Administration Site, **366–370**, 367–369
  - checking, **375**
  - primary sites
    - child of CAS, **370–372**, 371
    - stand-alone, **372–374**
- ActiveSync connections, 604–605, 605, 615
- Activity Management Technology (AMT), 19
  - enrollment point, **195–199**, 197–198
  - out-of-band service points, **187–189**, 188–189
- Add Application Catalog Website To Internet Explorer Trusted Sites Zone option, 232
- Add Configuration Items dialog box, 591, 591
- Add Distribution Point Groups dialog box, 441
- Add Distribution Points dialog box, 441
- Add Driver To Boot Images page, 456, 457
- Add Driver To Packages page, 456, 456
- Add Exchange Server Wizard
  - Account page, **607**, 607
  - Discovery page, **608–609**, 608
  - General page, **606–607**, 606
  - Settings page, **609**
    - Application settings, **614**, 614
    - Email Management settings, **612–613**, 612
    - General settings, **610**, 610
    - Password settings, **610–611**, 611
    - Security settings, **613–614**, 613
- Add New Collection Alerts window, 720, 720
- Add Partner Software Updates Catalogs page, 398, 398
- Add Site System Roles Wizard, **158–160**, 159
  - Application Catalog Web Service Point, 192–194, 192, 194
  - Application Catalog Web Site Point, 192–193, 192–193
  - distribution points, 163–169, 163–169
  - Endpoint Protection Manager, 204–205, 205
  - fallback status points, 186, 186
  - management points, 175–177, 175–176
  - mobile device and AMT enrollment points, 196–199, 197–198
  - out-of-band management, 187–189, 188–189
  - Reporting Services, 189–190, 190, 535–536, 536
  - SCEP, 703–704, 704
  - Software Update Point, 199–204, 199–203
  - state migration points, 182–184, 182–184
  - system health validator, 181
- Add Software Updates window, 591, 591
- Add User Account screen, 471
- Add User Or Group dialog box, 550
- Additional Settings page, 642–644, 642
- ADForestDisc.log file, 238
- AdminConsole.msi file, 98
- Administration Security report, 538
- administrative console
  - Asset Intelligence, 20–21
  - reports, 542–543, 542
  - software upgrades, 332
  - upgrading, 84
  - WSUS, **365–366**
- administrative folder migration, 77
- administrative users
  - creating, **224–225**, 224–226
  - overview, **220–221**, 220

- Administrator Comments setting, 299
- administrators
  - application deployment, 299
  - computer accounts as, 150
  - mobile device enrollment, **622–624**, 623–624
  - software updates, 332
- ADR (Automatic Deployment Rules), 200, **330**, 337, 717
- ADsgdis.log file, 241
- ADsysdis.log file, 240
- Advanced page
  - antimalware policy, 713, 713
  - System Center Updates Publisher, 397
- advertisement migration, 73
- AfterBackup.bat file, 678–679
- Agent Extensions Manage The Deployment Of Applications And Software Updates option, 232
- agents
  - client
    - Asset Intelligence, 473
    - settings, **229–234**, 230, **353–355**, 354
  - planning, 59
- AI. *See* Asset Intelligence (AI)
- AILW (Asset Intelligence License Wizard), 491
- AIUpdateSvc.log file, 207
- AIUSMSI.log file, 207
- AIUSsetup.log file, 207
- alerts and Alerts page
  - Application Deployment, **274**
  - client, **263–265**, 264
  - configuration baselines, **596**
  - Deploy Software Updates Wizard, 392–393, 392
  - Deploy Software Wizard, **312–313**, 312
  - deployment templates, 338
  - SCEP, **719–722**, 720–722
- All Instances Of The Objects That Are Related To The Assigned Security Roles option, 221
- All security scope, 214
- All Software Updates node, **384**
- All Systems collection, 326
- Allow clients to share content with other clients on the same subset option, **300–301**, 393
- Allow clients to use a fallback source location for content option, **301**
- Allow Mobile Devices That Cannot Be Provisioned option, 610
- Allow Password Recovery option, 611
- Allow Signed Content from Intranet Microsoft Update Service Location option, 356
- Allow Simple Password option, 611
- Allow System Restart Outside Maintenance Windows option, **352**
- Allow Task To Be Run On Demand option, 735
- Allow This Application To Be Installed option, 294
- Allow User Policy Request From Internet Clients option, 231
- Allow Users To Interact With This Program option, **304**
- Allowed Message Formats option, 612, 636
- Allowed Period Of Time Users Can Postpone A Required Restart To Complete The endpoint Protection Installation (hours) setting, 233
- AMT (Activity Management Technology), 19
  - enrollment point, **195–199**, 197–198
  - out-of-band service points, **187–189**, 188–189
- answer files, **155–157**
- antimalware policy, **709–715**, 709–714
- Application Administrator Properties window, 213, 213
- Application Administrator role, 211, 546
- Application Author role, 211, 546
- Application Catalog
  - application deployment, 314–315
  - customizing, 194
  - sample application, 294
  - User Device Affinity, 322, 323
- Application Catalog Customizations page, 194
- Application Catalog Web Service Point role, 46, **191–195**, 192–194, **622**, 622
- Application Catalog Web Site Point role, 46, **191–195**, 192–194, 355
- Application Deployment, **267**
  - Application References, **271–272**
  - client experience, **314–316**, 314–316
  - Create Application Wizard, **284–288**, 285–287
  - dependencies, **273–274**
    - Application References, **272**
    - BITS-enabled IIS, **275**
    - configuring, **318**, 319
    - default client settings, **275–281**, 276–280
    - distribution points, **275**
    - management points, **274**
  - Deploy Software Wizard, **307–314**, 308–312
  - Detection Method tab, **319**
  - distribution point changes, **269–271**
  - elements, **281–283**, 282–283
  - flow options, **272–274**
  - new features, **267–269**, 268
  - process, **284**, 284
  - properties, **283**, 283
  - Requirements tab, **319–321**, 321–322
  - Ribbon options, **288–293**, 289–292
  - sample application, **293–297**, 293–298
  - supersedence, **317–318**, 317–318
  - troubleshooting, **325–328**, 326
  - types, **298–307**, 298–303, 305–307
  - User Device Affinity, **322–325**, 323–325

Application Deployment Manager role, 211, 546  
 Application References, 271–272  
 Application Settings window, 614, 614  
 Application Virtualization (App-V), 21  
 applications  
   configuration items, 592  
   properties, 282, 282  
 Applications node, 267, 268, 284, 284  
 Applications That Depend On This Application option, 318  
 Applications That Supersede This Application option, 318  
 Apply This Software Metering Rule To The Following Clients option, 526  
 archiving backup snapshots, 678–679, 678  
 ASC keyword, 562  
 Asset Intelligence (AI), 473  
   catalog, 476–478  
   enabling, 485–487, 486–487  
   functionality, 20–21  
   home page, 479–481, 480  
   maintenance tasks, 474–475, 475  
   migrating, 76  
   reports, 481–485, 538  
   requirements, 473–475  
   software licenses, 488–491, 488, 490–491  
   synchronization points, 479, 486–487, 487  
   validation states, 478–479  
 Asset Intelligence License Wizard (AILW), 491  
 Asset Intelligence Reporting Class Settings dialog box, 485, 486  
 Asset Intelligence Synchronization Point Connection Settings page, 487, 487  
 Asset Intelligence Synchronization Point role, 46, 206–207, 206  
 Asset Manager role, 211, 547  
 Assets and Compliance workspace, 470–471, 470  
 assigned security scopes and collections, 220–221, 220  
 assigning policies, 716, 716  
 Associate Assigned Security Roles With Specific Security Scopes And Collections option, 221  
 Associated Security Roles dialog box, 550  
 ATM Provisioning Certificate page, 188–189, 189  
 ATM Service Point page, 188, 188  
 Automatic Deployment Rules (ADR), 200, 330, 337, 717  
 automatic operations  
   client remediation, 261–262, 262  
   management point queries, 178  
   operating system image captures, 436–438, 436–438  
   publishing updates, 401  
 Automatic package conversion state, 103

Automatically Configure Used Device Affinity From Usage Data option, 461  
 Automatically Detect This Information Using Existing Content option, 286  
 Automatically Distribute Content For Dependencies option, 309  
 Automatically Download Content When Packages Are Assigned To Distribution Points option, 387  
 Automatically Remove Previously Installed Antimalware Software Before Endpoint Protection Client Is Installed option, 232  
 Availability Management process, 6–7, 11–12  
 Available Software Updates dialog box, 345  
 awebsctrl.log file, 195  
 awebsvcMSI file, 195

## B

Background Intelligent Transfer Service (BITS)  
   Application Deployment, 275  
   client settings, 231, 275–276, 276  
   Computer Client Agent, 354–355  
   distribution points, 162, 173  
 Background Intelligent Transfer setting, 231  
 Backup ConfigMgr Site Server task, 673–674, 676  
   archiving backup snapshots, 678–679  
   configuring, 680–682, 681  
   considerations, 677  
   copying backups, 677  
   log files, 679  
 Backup Site Server Properties dialog box, 647–648, 648  
 Backup Site Server task, 680, 681  
 backups, 676  
   central site, 677  
   considerations, 677  
   copying to other locations, 677  
   excluded items, 674–676  
   log files, 679  
   restoring, 682–685, 684  
   site servers, 680–681, 681  
   snapshots, 678–679, 678  
   troubleshooting, 682  
 bank software, 477  
 bare metal operating system deployment, 412, 448–451, 449, 451  
 baseline configuration, 581  
   clients, 593–594, 593  
   initial, 588–589  
   options, 594  
   rules, 590–596, 591, 595

BIDS (Business Intelligence Development Studio), 534, 566–568

BITS (Background Intelligent Transfer Service)

- Application Deployment, 275
- client settings, 231, 275–276, 276
- Computer Client Agent, 354–355
- distribution points, 162, 173

/BITSPriority property, 248–249

Block The Following Applications In ROM option, 614

Bluetooth option, 613, 637

Boot Image page, 435, 435

boot images

- customized, 75
- Microsoft Deployment Toolkit, 465–466, 466
- operating system deployment, 413–414, 413
- packages, 428
- for PXE, 428–429, 429
- task sequences, 435, 435

bootable media

- non-task sequences, 115–116, 115
- task sequences, 418

boundaries

- client installation, 245–247, 245–246
- distribution points, 281
- migrating, 73–74
- sites, 44–45

Boundary Groups page

- distribution points, 168–169
- secondary site servers, 143
- state migration points, 184, 184

branch office migration. *See* P2V Migration Toolkit

BranchCache feature, 44

Browse Settings page, 643, 643

Browser option, 614

Build And Capture task sequence, 416, 419

build phase in migration, 80

Business Intelligence Development Studio (BIDS), 534, 566–568

## C

caches

- BranchCache feature, 44
- reports, 556

calcplus.msi file, 581

Calculator Plus utility, 577–578

Calendar Synchronization option, 636

Camera option, 613, 637

Capacity Management process, 6, 11

capacity planning, 47

capture images

- adding, 440–441
- automatic building and capturing, 436–438, 436–438
- creating, 430–436, 431–435
- distributing and deploying, 441
- reference computers, 438–440, 439–440
- task sequences, 417

Catalog tab, 294, 294

catalogs

- application. *See* Application Catalog
- Asset Intelligence, 476–478

categories

- applications, 293
- configuration items, 579–580

Categorize option, 293

CCM registry key, 146–147, 147

CCMAdmins property, 250

CCMAllowSilentReboot property, 250

CCMALWAYSINF property, 249

CCMCERTISSUERS property, 249

CCMCERTSEL property, 249

CCMCERTSTORE property, 249

ccmclean.exe utility, 97

CCMDebugLogging property, 250

CCMEnableogging property, 250

ccmeval.log file, 262, 739, 739

ccmeval process, 261, 736–739, 736, 738–739

ccmeval.xml file, 262, 737–738, 738

CCMEVALHOUR property, 252

CCMEVALINTERVAL property, 252

CCMFIRSTCERT property, 249

CCMHOSTNAME property, 249

CCMHTTPPort property, 251

CCMHTTPSPort property, 251

CCMInstallDir property, 250

CCMLogLevel property, 250

CCMLogMaxHistory property, 250

CCMLogMaxSize property, 250

ccmsetup-cmeval.log file, 262

ccmsetup.exe utility

- manual installation, 252–253
- properties, 247–252

central administration sites

- active software update points setup, 366–370, 367–369
- implementing, 125–137, 127–136
- recovering, 686–691, 687–690
- roles, 38–39

centralized power management, 21–22

Certificates page, 641–642, 641

Certificates To Install On Mobile Devices option, 641

Change Initiation Review SMF, 12

Change Management process, 5, 9

- Changing Quadrant in MOF, **8–10**
- Check Application Title with Inventory Information task, **474**
- child sites
  - active software update points setup, **370–372, 371**
  - recovering, **692**
- Choose Configuration Items dialog box, **591**
- Choose Mapping page, **462, 462**
- Choose Target Collection page, **449, 470**
- ciagent.log file, **596**
- Classic Software Distribution, **268**
- classifications and Classifications page
  - Add Site System Roles Wizard, **202–203, 203**
  - software updates
    - classes, **350**
    - configuring, **376, 376**
    - metadata, **334–335**
- Clean Up Migration Data dialog box, **100, 100**
- cleaning up migration data, **100, 100**
- Client Activity Detail tab, **740, 741**
- Client Activity node, **742, 743**
- client agents
  - Asset Intelligence, **473**
  - settings, **229–234, 230, 353–355, 354**
- Client Computer Communication Settings page, **136–137, 136**
- client health, **261, 731**
  - alerts, **263–265, 264**
  - automatic remediation, **261–262, 262**
  - determining, **262–263, 263**
  - evaluation results, **740–741, 740–741**
  - monitoring, **263, 742–743, 742–743**
  - overview, **731–732**
  - scheduled tasks, **732–733, 732–733**
    - Actions page, **734, 734**
    - CCMEval, **736–739, 736, 738–739**
    - Conditions page, **734, 734**
    - History page, **735, 736**
    - Settings page, **735, 735**
    - Triggers page, **733, 733**
- Client Health Detail tab, **741, 741**
- Client Language Selection page, **129**
- client.msi file, **173, 247**
- Client Policy settings, **231, 354**
- Client Policy Polling Interval (Minutes) setting, **231**
- Client Push report, **539**
- Client Replace task sequence, **468**
- Client Status report, **538**
- Client Status History reports, **263**
- Client Status Settings Properties dialog box, **262–263, 263**
- Client Status Summary reports, **263**
- Client Time To Request Policy reports, **263**
- clients
  - application deployment, **314–316, 314–316**
  - backing up, **674**
  - Compliance Settings, **576–577, 577**
  - configuration baselines, **593–594, 593**
  - deleted, **520–521**
  - health. *See* client health
  - information migration, **66**
  - installation, **229**
    - boundaries, **245–247, 245–246**
    - command-line properties, **247–252**
    - discovering network objects. *See* discovering resources
    - group policy, **257**
    - health, **261–265, 262–264**
    - imaging, **258–259**
    - login scripts, **258**
    - manual process, **252–253**
    - packages for operating system deployment, **421–422, 421–422**
    - push, **253–257, 255–257**
    - settings, **229–234, 230**
    - software distribution, **258**
    - software updates, **257–258**
    - supported operating systems, **234–235**
    - troubleshooting, **261**
    - updating, **259, 259**
    - verifying, **260–261, 260**
  - inventory
    - processes, **519**
    - reports, **515**
  - log files, **654–655**
  - MIF storage location, **504–505**
  - migrating, **66, 84, 96–97**
  - planning, **59**
  - requirements, **26–32**
  - settings and deployment, **52**
    - default, **275–281, 276–280**
    - hardware inventory, **495–496**
  - Software Metering, **528–530, 529**
  - software update settings, **355–356, 355**
- clusters, **8–9, 49**
- CMtrace.exe program, **261, 596, 656–657, 656–657**
- Cochrane, Mark, **508**
- Collect IDMI files option, **504**
- Collect MIF files option, **504**
- Collect NOIDMI files option, **504**
- Collected File Properties dialog box, **512, 513**
- collections, **53, 218**
  - application deployment, **281**
  - creating, **223–224**

- collections (*continued*)
  - default, **219–220**
  - deployment templates, 337
  - enabling, 720
  - migrating, **68, 71–73, 71–73, 87–88, 88**
  - software inventory, **500**
  - working with, **219**
- Collections setting
  - application deployment, **308**
  - software update deployments, 390
- Collections That Cannot Be Migrated dialog box, 71, 71
- columns in packages, 102
- command line
  - client installation properties, **247–252**
  - WSUS 3.0 Administration Console installation, **366**
- comments
  - application deployment, 309
  - software metering rules, 526
- Comments setting, 309
- communications, site, **50**
- Completion page
  - distribution points, 169, 169
  - reporting role, 535
  - secondary site servers, 144
- compliance and Compliance Settings, **573**
  - clients, 231, **576–577, 577**
  - configuration items. *See* configuration items (CIs)
  - configuration packs, **597–600, 598–600**
  - new features, 574, 574
  - overview, **573–574**
  - purpose, **575**
  - reports, **596–597**
  - software updates, **343–344**
- Compliance and Settings Management reports, 539
- Compliance Rules page, 585–587, 585
- Compliance Settings Manager role, 211, 547
- Compliant status, 406
- compmom.log file, 162
- component servers, 46, **162**
- Component Status folder, 174
- Component Status messages, 658, 658
- computer accounts as administrators, 150
- Computer Agent settings, 231, 277, 277
- computer client agents
  - Asset Intelligence, 473
  - settings, **229–234, 230, 353–355, 354**
- Computer Maintenance setting, 356
- Computer Restart settings, 232, 277–278, 278, 355
- Computer Synchronization option, 610
- computers
  - information importing, **449–450, 449**
  - names, 242
  - unknown, **452–455, 452–455**
- Computers for a Specific Console User report, 475
- Conditions page, **734, 734**
- /config property, 249
- ConfigMgr 10 registry key, 148, 148
- ConfigMgr Report Administrators group, 545
- ConfigMgr Report Users group, 545
- ConfigMgr Server option, 397
- ConfigMgrAdminUISetup.log file, 99, 133
- ConfigMgrAutoSave.ini file, 156
- ConfigMgrInstallation.adm template, 257–258
- ConfigMgrPostRecoveryActions.html file, 695, 695
- ConfigMgrPrereq.log file, 99, 123, 133
- ConfigMgrSetup.log file, 133, 691
- ConfigMgrSetupWizard.log file, 133, 691
- configuration baselines, 581
  - clients, **593–594, 593**
  - initial, **588–589**
  - options, **594**
  - rules, **590–596, 591, 595**
- configuration items (CIs)
  - Compliance Rules page, **585–588, 585**
  - creating, **577–578**
  - Detection Methods page, **581–582, 582**
  - General page, **578–580, 578**
  - Settings page, **582–584, 583, 585**
  - Summary page, **588, 588**
  - types, **575–576**
- configuration management process, 4–5, 10
- Configuration Manager Client Upgrade package, 422
- Configuration Manager overview
  - Active Directory schema, **36–37**
  - client settings and deployment, **52**
  - console upgrading, **98–99**
  - content management, **52–53**
  - deployment, **59–63**
    - intelligence gathering, **23–25**
    - migration needs, **25**
    - troubleshooting, **664–665**
  - disaster recovery, **55–56**
  - environment design, **56–60**
  - hierarchies and sites, **37–44, 38, 43**
  - major features, **14–21, 15**
  - migration, **54–55**
  - resource discovery, **51–52**
  - role-based administration, **53–54**
  - site boundaries and boundary groups, **44–45**
  - site communications, **50**
  - site security mode, **51**
  - site system design, **47–49**
  - site system roles, **45–47**
  - SQL considerations, **49–50**
  - system requirements, **26–36**

- Configuration Manager Properties dialog box, 529, 529, 595, 595
- Configuration Manager Status Message Viewer window, 659, 659
- configuration.mof file, **495–496, 506–507, 507**
- configuration packs, importing, **597–600, 598–600**
- configuration settings, migrating, **76**
- Configure Automatic Updates option, 356–357
- Configure Client Setting dialog box, 512, 512, 514, 514
- Configure ConfigMgr Integration dialog box, 464, 465
- Configure Manager Alert option, 392
- Configure The Network page, 442, 450
- Confirm Object Delete dialog box, 526
- Confirm Settings page, 704
- Confirmation page
  - configuration packs, 599–600, 600
  - System Center Updates Publisher, 402, 402
- Console Users on a Specific Computer report, 475
- content
  - library, **42–43**
    - backing up, 674
    - software updates, 332
  - managing, **52–53**
  - migrating, 66
  - prestaging, **44**
  - replicating, 50
  - validating, **43, 43**
    - distribution points, 167–168, 168, **269**
    - secondary site servers, 143, 143
- Content Location settings
  - application deployment type, 300
  - boot images, 414
  - operating system images, 415
  - operating system installers, 416
- Content page
  - application deployment type, **299–300, 300**
  - Deploy Software Wizard, 309, 309
- Content Types tab, 296, 296
- Content Validation page
  - distribution points, 167–168, 168, **269**
  - secondary site servers, 143, 143
- Converted package conversion state, 103
- copying backups to other locations, **677**
- COUNT command, 562
- Create a deployment alert when the threshold is higher than the following option, 313
- Create a deployment alert when the threshold is lower than the following option, 313
- Create A New Custom Task Sequence task, 416
- Create A New Deployment Package option, 385
- Create A New Task Sequence page, 442, 450
- Create Application Wizard, 282, **284–288, 285–287, 298, 307–314, 308–312**
- Create Boot Image Using MDT dialog box, 465, 466
- Create Configuration Baseline Wizard, 588–589, 588
- Create Configuration Item Wizard
  - Compliance Rules page, **585–588, 585**
  - Detection Methods page, **581–582, 582**
  - General page, **578–580, 578**
  - mobile devices, 631
    - Additional Settings page, 642–644, 642
    - Certificates page, 641–642, 641
    - Email Management page, 635–636, 635
    - Encryption page, 639–640, 639
    - General page, 631–632, 632
    - Mobile Devices Settings page, 632–633, 633
    - Password page, 633–635, 634
    - Peak Synchronization page, 637–638, 637
    - Platform Applicability page, 644, 645
    - Roaming page, 638, 638
    - Security page, 636–637, 636
    - Supported Platform page, 644, 644
    - Wireless Communications page, 640–641, 640
  - Settings page, **582–584, 583, 585**
  - Summary page, **588, 588**
- Create Deployment Type option, 290
- Create MDT Task Sequence dialog box, 467–469, 467, 469
- Create Package From Definition Wizard, **421–424, 421–423**
- Create Prestage Content File option, **289–290, 290**
- Create Prestage Content Wizard, 290, 290
- Create Role Wizard, 348
- Create Rule dialog box, 586–587, 587
- Create Secondary Site Wizard, 139–145, 140–144
- Create Setting dialog box, 582–584, 583
- Create Site Role Wizard, 487, 487
- Create Software Metering Rule Wizard, 525, 525
- Create Subscription Wizard, 559, 559
- Create Task Sequence Media Wizard, 453–454, 453–454
- Create Task Sequence Wizard, 431–435, 431–435, 450, 451
- Create Task Wizard, 442–445, 443–445
- criteria for update searches, **382–384, 382–384**
- custom labels, **477**
- Custom Schedule dialog box
  - hardware inventory, 504
  - network discovery, 244, 245
- custom security scope, **214–216, 215, 353**
- Custom Severity page, **353**

## Customer Experience Improvement Program

- Configuration page, 131
- customer focused service delivery, 3
- Customizations tab, 413–414
- customized boot images, 75

**D**

## dashboards

- migration, 82, 83
- package conversion, 103, 103, 108
- status messages, 658, 658

## Data Access tab

- boot images, 414
- operating system images, 415
- operating system installers, 416

## data gathering in migration, 66–68, 85–86, 85–86, 99

## Data Gathering Status dialog box, 85, 85

## data library, 42

## data manipulation language (DML) messages, 665

## Data Preview page, 449, 470

## Data Replication Service (DRS), 665, 668–669, 668–669

## data source and Data Source tab

- authentication accounts, 537
- boot images, 414, 429, 429
- operating system images, 415
- operating system installers, 416
- report properties, 553

## data types, 666–668, 667

## Database Information page, 130, 130, 689, 689

## Database Replication troubleshooting, 665–669, 665, 667–669

## Database Server page, 130, 136–137, 136

## databases

- moving, 696–697
- validating, 152, 152

## dataldr.log file, 509, 509, 519–520

## DataLib folder, 170–172, 172

## Date Published setting, 293

## dcmagent.log file, 596

## Deadline Behavior setting, 392

## Default Actions page, 711, 711

## Default Application Catalog Website Point setting, 232, 355

## Default Client Malware Policy, 716–717

## Default security scope, 214

## Default Settings dialog box

- BITS, 275–276, 276
- Computer Agent, 277, 277
- Computer Restart, 277–278, 278
- Endpoint Protection, 706, 706
- inventory, 499, 499
- Software Deployment, 278–279, 279

## software inventory, 511, 511

## User and Device Affinity, 279, 280

## defaults

## client settings, 275–281, 276–280, 577, 577

## collections, 219–220

## MIF storage location, 504–505

## define and capture phase in migration, 80

## definition files in SCEP, 717–719, 717–718

## Definition Updates page, 714, 714

## Delete option, 291

## deleted clients, 520–521

## deleting

- applications, 291
- software metering rules, 526

## Deliver phase in SMFs, 13

## delta discovery, 243

## delta inventory information, 494

## Delta Synchronization Interval option, 608

## dependencies and Dependencies tab

- Application Deployment, 273–274
- Application References, 272
- BITS-enabled IIS, 275
- configuring, 318, 319
- default client settings, 275–281, 276–280
- distribution points, 275
- management points, 274
- types, 307, 307

## Asset Intelligence, 482

## Deploy Configuration Baselines Wizard, 593–594, 593

## Deploy Software Updates Wizard

- languages, 351
- packages, 338–339
- restart settings, 352
- settings overview, 339
- software updates, 388–395, 389–392

## Deploy Software Wizard

- Alerts page, 312–313, 312
- Content page, 309, 309
- Deployment Settings page, 310, 310
- General page, 307–309, 308
- operating system image capturing, 436–437, 436–437
- Scheduling page, 311, 311
- task sequences, 444–445, 445
- User Experience page, 312, 312

## deployment

- application. *See* Application Deployment
- clients, 52
- Configuration Manager, 59–63
- images, 441
- intelligence gathering, 23–25
- migration needs, 25



- operating system. *See* operating system
  - deployment (OSD)
- packages, **338–339**, 384–386
- SCEP, **700**
- software updates, **339–340**, **344–345**
  - downloading, **384–387**, 385–386
  - finding, **380–384**, 381–384
  - groups, **388**
  - monitoring, **404–408**, 404–407
  - rules, **340–341**, 341
  - templates, **337–338**
- status messages, **661–662**
- task sequences, **444–448**, 445–448
- troubleshooting, **664–665**
- Deployment Deadline settings, 232
- Deployment Imaging Servicing and Management (DISM) tool, 457
- Deployment Name setting, 389
- Deployment Options setting, **301**
- Deployment Package page
  - Deploy Software Updates Wizard, 393
  - software updates, 385, 385
- deployment phase in migration, 81
- Deployment Program Always Forces A Reboot option, 305
- Deployment Settings page, 310, 310, 445, 445
- Deployment Status window, 447, 448
- Deployment Types tab, 282, 296, 296
- Deployments node, **325–326**, 326
- depth management of mobile devices, **195**, **616–617**
  - device enrollment, **622**
    - administrator configuration, **622–624**, 623–624
    - user configuration, **624–631**, 625–631
  - roles
    - Application Catalog web service point, **622**, 622
    - distribution point, **621**, 621
    - enrollment point, **618–619**, 618
    - enrollment proxy point, **617–618**, 617
    - management point, **619–620**, 619
    - Microsoft enterprise certification authority, **620**, 621
  - settings
    - Additional Settings, 642–644, 642
    - Certificates, 641–642, 641
    - Email Management, 635–636, 635
    - Encryption, 639–640, 639
    - General, **631–632**, 632
    - Mobile Devices Settings, 632–633, 633
    - Password, 633–635, 634
    - Peak Synchronization, 637–638, 637
    - Platform Applicability, 644, 645
    - Roaming, 638, 638
    - Security, 636–637, 636
    - Supported Platform, 644, 644
    - Wireless Communications, 640–641, 640
- DESC keyword, 562
- descriptions
  - configuration items, 579, 584
  - deployment packages, 386
- design, site system, **47–49**
- Detection Method page, **272**, **302–303**, 302, **319**, **581–582**, 582
- Detection Rule Wizard, 303
- Determine Behavior Based On Return Codes
  - option, **305**
- device drivers, **418**, **454–457**, 455–457
- device enrollment, **622**
  - administrator configuration, **622–624**, 623–624
  - user configuration, **624–631**, 625–631
- Device Management reports, 539
- Device Restart Behavior setting, 392
- DHCP with PXE, 428
- Direct Push When Roaming option, 612
- Direct Rule type for collections, 219
- Directory Services Administration SME, 10
- Disable Alternate Sources option, 233
- DisableCacheOpt property, 250
- DisableSiteOpt property, 251
- disabling software metering rules, **523–524**
- disaster recovery, **55–56**, **673**
  - backups, **677–682**, 678, 681
  - central sites, **686–691**, 687–690
  - maintenance options, **692–694**
  - monitoring, **691**, 691
  - multisite environments, **692**
  - planning, **673–674**
  - post-recovery tasks, **695–696**, 695
  - restores, **682–685**, 684
  - starting, **685**
- discovering resources
  - Active Directory, **236–237**, 236–238
    - forests, **238**, 238–239
    - groups, **241**, 241
    - heartbeat, **241–243**, 244
    - network, **242**
    - scheduling, **243–244**, 243–245
    - system, **239–240**, 240
    - users, **240**
  - Add Exchange Server Wizard, **608–609**, 608
  - out-of-band management, **19**
  - overview **51–52**, **235–236**
- Discovery page, **608–609**, 608
- disk space, 665

- Disks category, 417
  - DISM (Deployment Imaging Servicing and Management) tool, 457
  - Display in Software Center option, 312
  - Display Name Properties window, 513, 513
  - display names for software inventory, 500, 513, 513
  - distmgr.log file, 174, 427
  - Distribute Content option, 292
  - Distribute Content Wizard, 441
  - Distribute The Content For This Package To Preferred Distribution Point option, 387
  - distribution
    - boot image packages, 428
    - images, 441
    - software. *See* software distribution
  - Distribution Point page, 141–142, 142, 163–165, 166
  - distribution point role, 46, 621, 621
  - distribution points, 41–44, 43, 162–174, 163–174
    - changes, 269–271
    - dependencies, 275
    - high availability, 49
    - managing, 52
    - migrating, 66, 78, 82–84, 87
    - operating system deployment, 414–415, 446
    - PXE on, 426–427, 427
    - software requirements, 173
    - software updates, 386
    - status messages, 663
    - troubleshooting, 173–174, 174
    - upgrading, 83–84, 91–95, 92–93, 95
  - Distribution Points page, 386, 446
  - Distribution Priority setting, 387
  - Distribution Settings page
    - boot images, 414
    - operating system images, 415
    - operating system installers, 416
    - software updates, 386–387, 386
  - distributions
    - package migration, 74
    - status messages, 662–663
  - DML (data manipulation language) messages, 665
  - DNSSUFFIX property, 252
  - Do Not Expire A Superseded Update Until The Software Update Is Superseded For A Specified Period option, 369, 374
  - Do Not Synchronize From Microsoft Update Or The Upstream Update Point option, 374
  - Do Not Synchronize From Microsoft Update Or The Upstream Update Server option, 368
  - domain profiles, 716
  - Download Location page, 344, 387, 393–394
  - Download Only Content Changes To The Distribution Point option, 387
  - Download Settings For Slow Or Unreliable Network settings, 393
  - Download Settings For Unprotected Distribution Points settings, 393
  - Download Settings page, 338
  - Download Software Updates Wizard, 351, 385–386, 385
  - Download Updates Wizard, 335, 384–387
  - downloading software updates, 384–387, 385–386
  - /downloadtimeout property, 248
  - Drive Settings page
    - distribution points, 165, 165
    - secondary site servers, 142–143, 142
  - drive space requirements
    - clients, 27
    - servers, 33
  - Driver Details page, 455
  - drivers, device, 418, 454–457, 455–457
  - Drivers category for task sequences, 417
  - Drivers tab for boot images, 413
  - DRS (Data Replication Service), 665, 668–669, 668–669
- ## E
- Edit Primary Devices node, 324, 325
  - Editions tab, 416
  - EICAR test malware, 724–728, 724–728
  - email
    - alerts, 721–722, 722
    - mobile devices, 612–613, 612, 635–636, 635
    - report subscriptions, 560–561
  - Email Attachments option, 613
  - Email Download While Roaming option, 638
  - Email Management page, 635–636, 635
  - Email Management Settings page, 612–613, 612
  - Empower Users feature, 331
  - Enable Automatic Site-wide Client Push Installation option, 254
  - Enable Hardware Inventory On Clients option, 503
  - Enable Software Updates on Clients option, 361
  - Enable System Center Operations Manager Maintenance Mode option, 313
  - enabling
    - Asset Intelligence, 485–487, 486–487
    - collections, 720
    - Software Metering Client Agent, 522
    - software metering rules, 524, 524
  - encryption and Encryption page
    - client inventory reports, 515
    - mobile devices, 639–640, 639
  - endpoint protection. *See* System Center Endpoint Protection (SCEP)
  - Endpoint Protection client agent, 705–709, 706–708
  - Endpoint Protection Manager role, 212

- Endpoint Protection Point role
  - adding, **204–205**, 205
  - configuring, **702–705**, 704
  - description, 46
  - reports, 547
- Enforcement phase in software updates, 407
- enrollment, device, **622**
  - administrator configuration, **622–624**, 623–624
  - user configuration, **624–631**, 625–631
- Enrollment Point Connection Account option, 619
- enrollment point role, 46–47, **618–619**, 618
- Enrollment Point setting, 618
- enrollment proxy point role, 47, **195–199**, 197–198, **617–618**, 617
- EnrollmentService.log file, 646
- EnrollmentWeb.log file, 646
- Enrollsrvmis file, 199
- Enrollsvc.log file, 199
- Enrollweb.log file, 199
- Enrollwebmsi file, 199
- environment variables, **584**
- EPCtrlmgr.log file, 205, 705
- EPMgr.log file, 205, 704–705
- EPsetup.log file, 205, 705
- Error Lookup window, 656, 656
- Error status
  - in-console monitoring, **405–406**
  - package conversion, 103
- Estimated Install Time (Minutes) option, **305**
- Evaluation phase in software updates, 407
- event logs, **475**
- Examination Institute for IT (EXIN), 2
- Exclude Collections Rule, 219
- Excluded Settings page, 712, 712
- excluding
  - malware scanning items, 712, 712
  - software inventory files, **515–516**, 516
- expired software updates, 331
- Export Application Wizard, 291–292, 292
- exporting
  - applications, **291–292**, 292
  - reports, **570–571**
  - software updates, 74
  - synchronization with, **379–380**
- extending hardware inventory, **505–510**, 507–510

## F

- fallback status point role, 46, **185–187**, 186
- fat images, 419
- FEP (Front Endpoint Protection) vs. SCEP, **699**
- file-based report subscriptions, **558–559**, 559

- file collection for software inventory, **500**
- File Encryption On Mobile Device option, 614, 639
- file library, 42
- file system validation, **148**, 149
- FileLib folder, 170, 173
- files for software updates, **335**
- FileSystemFile.log file, 515, 516
- filters for software updates, **330**
- Financial Management process, 6, 12
- Find all mobile devices in the exchange organization option, 609
- finding
  - management points, **177–178**
  - software updates, **380–384**, 381–384
- firewalls, **715–716**, 715
- flat hierarchies, **210**
- folder migration, 77
- Force A Mandatory Device Restart option, 305
- /forcereboot property, 248
- forest discovery, 51–52, **238**, 238–239
- free drive space requirements
  - clients, 27
  - servers, 33
- Front Endpoint Protection (FEP) vs. SCEP, **699**
- FSP property, 251
- fspMSI.log file, 187
- Full Administrator role, 212, 547
- full antimalware scans, 710
- Full Content update option, 401
- Full Synchronization Schedule option, 608

## G

- general configuration items, **592**
- General Information page, **287–288**, 287
- General License Statement, **489–490**, 490
- General settings
  - Add Exchange Server Wizard, **606–607**, 606
  - application deployment, 282, 282, 299, 299
  - boot images, 413, 413
  - client push installation, 254, 255
  - configuration items, 578–580, 578, 583, 583
  - Create Application Wizard, 285–286, 285
  - Deploy Software Updates Wizard, 389–390, 389
  - Deploy Software Wizard, **307–309**, 308
  - mobile devices, 631–632, 632
  - New Site Role Wizard, 424
  - operating system images, 415
  - operating system installers, 416
  - reports, **550–551**
  - sample application, 293–294, 293

- General settings (*continued*)
  - SCEP, 703
  - secondary site servers, 139–140, 140
  - site system roles, 159, 159
  - software metering, 523, 523, 525, 525
  - software updates, 348
  - state migration points, 424
  - task sequences, 416–417, 444
- General Settings window, 610, 610
- Generate System Center Operations Manager Alert
  - When A Software Installation Fails option, 313
- Getting Started page
  - central administration sites, 127, 127
  - primary sites, 134–135, 134
- Global Conditions node, 321, 322
- global data replication, 50, 666, 667
- global roaming, 37
- goals
  - determining, 24–25
  - software updates, 346
- GROUP BY keyword, 562
- group policies and GPOs
  - client installation, 257
  - SCEP, 703
  - settings, 356–357
- groups
  - Active Directory, 52, 241, 241
  - boundary, 44–45
  - distribution points, 52, 270–271, 663
  - software updates, 330, 337, 388
  - validating, 149–150, 150

## H

- hard-linking, 423
- hardware inventory, 494–495
  - client settings, 233, 495–496
  - configuration.mof file, 495–496
  - configuring, 502–505, 503
  - extending, 505–510, 507–510
  - MIF files, 497–499
  - Registry, 507–510, 508–510
  - reporting classes, 496–497
  - troubleshooting, 519
- Hardware Inventory Client Agent, 473–474
- Hardware Inventory option, 233
- hardware reports, 482–483, 539
- hardware requirements
  - Asset Intelligence, 478
  - clients, 26–27
  - servers, 32–33
- health, client. *See* client health
- heartbeat discovery, 51, 241–243, 244, 516
- hidden reports, 551
- hierarchies, 37–38, 38
  - central administration sites, 38–39
  - design and implementation, 122
  - distribution points, 41–44, 43
  - flat, 210
  - planning, 58
  - primary sites, 39–40
  - secondary sites, 40
- Hierarchy Maintenance tool, 693–694
- high availability, 49
- history and History page
  - reports, 557
  - SCEP, 725, 725
  - scheduled tasks, 735, 736
- HTTP Connected Computer Devices option, 620
- HTTP security mode, 51
- HTTPS Connected Computer Devices option, 620
- HTTPS security mode, 51

## I

- Icon option, 295
- Identification registry key, 146
- Identification tab, 588–589, 588
- Idle Time Before Mobile Device Is Locked
  - setting, 634
- Idle Time In Minutes Before Mobile Device Is Locked
  - setting, 611
- IDMIF files
  - description, 498–499
  - storage location on clients, 504–505
- If The Running Task Does Not End When Requested,
  - Force It To Stop option, 735
- Ignore Maintenance Windows and Install Immediately
  - at Deadline option, 352
- Ignore mobile devices that are inactive for more than
  - (days) setting, 609
- Image Capture Wizard, 439, 439
- Image Destination page, 439, 439
- Image Information page, 439
- images
  - boot. *See* boot images
  - client installation, 258–259
  - creating, 430–436, 431–435
  - Microsoft Deployment Toolkit, 465–466, 466
  - operating system, 415
    - automatic building and capturing, 436–438, 436–438
    - deploying, 440–441
    - offline servicing, 457–459, 458–459
    - reference computers, 438–440, 439–440
  - task sequences, 417

- Images tab
    - boot images, 413
    - operating system images, 415
  - Immediately Expire A Superseded Update option, 369, 374
  - Import Certificate page, 642, 642
  - Import Computer Information Wizard, 449, 449
  - Import Configuration Data Wizard, 599–600, 599–600
  - Import Information page, 286, 286–287
  - Import New Driver Wizard, 455–457, 455–457
  - Import Software License Wizard, 488–490, 488, 490
  - Import Summary page, 510, 510
  - Import User Device Affinity option, 323, 324
  - importing
    - application information, 286, 286–287
    - certificates, 642, 642
    - computer information, 449–450, 449
    - configuration packs, 597–600, 598–600
    - drivers, 455–457, 455–457
    - MOF files, 510, 510
    - reports, 551–552, 569–570
    - software licenses, 488–491, 488, 490–491
    - software updates, 75, 398–399, 399
    - update synchronization with, 379–380
    - user device affinity, 323, 324, 461–462, 462
  - in-band management, 19
  - in-console software updates deployment monitoring, 404–407, 404–407
  - In Progress status, 406
  - Inactive Client Details reports, 263
  - incident management process, 4, 11
  - Include Collections Rule, 219
  - Include Updates In Image page, 451
  - Information Systems Examination Board (ISEB), 2
  - Infrared option, 614
  - Infrastructure Administrator role, 212, 547–548
  - Infrastructure Engineering SMF, 11
  - Infrastructure role cluster, 9
  - Install All Required Software Updates When Deadline Occurs option, 361
  - Install An Existing Image Package task sequence, 416
  - Install Applications page, 443, 444, 451
  - Install Client Wizard, 256–257, 257
  - Install Configuration Manager Client page, 442–443
  - Install Endpoint Protection Client In Client Computers option, 232
  - Install page, 133, 133, 690, 690
  - Install Permissions settings, 232
  - Install The Configuration Manager Client page, 450
  - Install The Windows Operating System page, 450
  - Install Windows page, 442, 443
  - installation
    - client. *See* clients
    - site system roles, 157–160, 158–159
    - software update points, 346–348
    - System Center Updates Publisher, 395–396, 395
    - WSUS, 361–365, 363
  - Installation Behavior setting, 303
  - Installation Deadline setting, 390
  - Installation Program setting, 302
  - Installation program visibility settings, 304
  - Installation Progress window, 439, 446, 446
  - Installation Properties tab, 254, 256, 256
  - Installation Source Files page, 140
  - Installation Start In option, 302
  - installers, operating system, 415–416, 429–430, 430
  - Intel Activity Management Technology, 19
  - interaction of site system roles, 157–158
  - Internet-based software update settings, 348–349
  - Internet option for software updates, 387
  - Internet Sharing From Mobile Devices option, 610
  - Inventoried Software Titles node, 477
  - inventory, 15, 493–494
    - hardware. *See* hardware inventory
    - software
      - collecting, 499–500, 499
      - configuring, 511–518, 511–518
      - troubleshooting, 518–521
      - viewing, 500–501, 501, 514, 515
  - Inventory Reporting Detail setting, 512
  - InventoryAgent.log file, 519–521
  - IP address ranges, 44
  - IP subnets, 44
  - IPv6 prefix, 44
  - IT Infrastructure Library (ITIL), 2–7, 13
  - IT Service Continuity Management process, 6
  - IT service management (ITSM), 2
    - ITIL, 2–7
    - MOF, 7–13, 13
  - IT Service Management Forum (itSMF), 2
- J**
- Job Scheduling SMF, 10
  - jobs, migration, 66, 82, 87–91, 88–90
- K**
- Keywords option, 295
- L**
- labels in Asset Intelligence, 477
  - Language Selection page, 351, 394

- languages
    - deployment, 299, 338
    - software metering rules, 526
    - software updates, 351, 377, 377, 394
  - Languages page, 204, 351, 377, 377
  - libraries
    - content, 42–43
    - ITIL, 2–7, 13
  - licenses
    - Asset Intelligence, 488–491, 488, 490–491
    - central administration sites, 128
    - reports, 484–485
  - link states, 666
  - Link Text option, 295
  - linked reports, 569
  - lite management of mobile devices, 195, 603–605, 605
    - Account page, 607, 607
    - configuration results, 614–616, 615–616
    - Discovery page, 608–609, 608
    - General page, 606–607, 606
    - Settings page, 609
      - Application settings, 614, 614
      - Email Management settings, 612–613, 612
      - General settings, 610, 610
      - Password settings, 610–611, 611
      - Security settings, 613–614, 613
  - load balancing, 49
  - load state for USMT packages, 422
  - local installation, 126
  - Localized Application Name option, 295
  - Localized Description option, 295
  - Locate Driver page, 455, 455
  - locations for deployment templates, 338
  - log files
    - application deployment, 327–328
    - backup process, 679
    - client, 654–655
    - management points, 178–179, 654
    - SCEP, 705
    - site servers, 651–653
    - for troubleshooting, 651–657
    - Windows event, 475
  - login scripts, 258
  - /Logon property, 248
  - Logon Requirement option, 303
- M**
- maintenance plans, 647–651, 648
  - maintenance windows, 351–352
  - malware, 700
    - antimalware policy, 709–715, 709–714
    - assigning policy, 716–717, 716
    - scenario, 723–728, 724–728
    - Windows Firewall policies, 715–716, 715
  - Malware Detection alerts, 719
  - Malware Outbreak alerts, 719
  - Manage Administrative Categories dialog box, 579, 580
  - Manage Endpoint Protection Client On Client
    - Computers option, 232
  - Manage phase for SMFs, 13
  - Management information format (MIF) files, 497–499, 504–505
  - Management Point page, 175–176, 175
  - management point role, 46, 619–620, 619
  - management points
    - dependencies, 274
    - finding, 177–178
    - high availability, 49
    - inventory, 519
    - log files, 178–179, 654
    - overview, 174–176, 175–176
    - proxy, 176–177
    - queries, 178
    - server locator point functionality, 178
    - software requirements, 179
    - troubleshooting, 179
  - Manual package conversion state, 103
  - manual synchronization, 342
  - Manually Copy The Content In This Package To The
    - Distribution Point option, 387
  - Manually Define This Information option, 286
  - MAPS (Microsoft Active Protection Service), 700–701, 701
  - Maximum Allowed Run Time (Minutes) setting, 304–305
  - Maximum Custom MIF File Size (KB) setting, 504
  - Maximum Run Time settings, 352–353
  - Maximum Size For HTML Email (Automatically
    - Downloaded) setting, 636
  - Maximum Size For Plain Text Email (Automatically
    - Downloaded) setting, 636
  - Maximum Size Of An Attachment (Automatically
    - Downloaded) setting, 636
  - Maximum Time To Keep Calendar Entries setting, 612
  - Maximum Time To Keep Email setting, 612, 635
  - MDT. *See* Microsoft Deployment Toolkit (MDT)
  - media task sequences, 418
  - media boot task sequences, 433–436, 434–435
  - Media Type page, 434, 435, 453
  - memory
    - central administration sites, 132
    - SQL, 126, 132
  - messages. *See* status messages

- metadata in software updates, 334–335, 376, 379, 401
- Metadata Only option, 401
- metering software. *See* Software Metering feature
- Microsoft Active Protection Service (MAPS), 700–701, 701
- Microsoft Active Protection Service page
  - antimalware policy, 714, 714
  - Endpoint Protection Manager, 204–205, 205
- Microsoft Application Virtualization Management, 21
- Microsoft Calculator Plus utility, 577–578
- Microsoft Configuration Manager folder, 148, 149
- Microsoft Deployment Toolkit (MDT)
  - backing up, 676
  - boot images, 465–466, 466
  - installing, 464
  - integrating, 464–465, 465
  - scenarios, 464
  - task sequences, 466–469, 467, 469
- Microsoft enterprise certification authority role, 620, 621
- Microsoft Malware Protection Center (MMPC), 700
- Microsoft Operations Framework (MOF), 7
  - Changing Quadrant, 9–10
  - ITIL, 7–9, 13, 13
  - Operating Quadrant, 10
  - operations management reviews, 12–13
  - Optimizing Quadrant, 11–12
  - process model, 9
  - reliability workbook, 14
  - Supporting Quadrant, 10–11
- Microsoft RichCopy 4.0 Properties dialog box, 293–298, 293–298
- Microsoft Software License Terms page, 128
- Microsoft Update catalog, 342
- Microsoft Volume License Statement, 488–489
- MIF (Management information format) files, 497–499, 504–505
- migmctrl.log file, 82, 92
- migration, 65
  - branch offices. *See* P2V Migration Toolkit
  - data-gathering process, 67–68
  - distribution points, 78
  - introduction, 65–66
  - needs, 25
  - objects, 54–55
    - not supported, 77
    - supported, 70–77, 71–73
  - packages, 100–101
    - best practices, 107
    - monitoring, 108, 108
    - Package Conversion Manager, 101–102, 101
    - process, 102–107, 103, 105–106
    - planning, 80–81
    - preparing, 79
    - report, 539
    - side-by-side. *See* side-by-side migration
    - source hierarchy, 66–67, 67
    - types, 68–70
    - wipe-and-load, 97–100, 100
- migration points, 182–185, 182–184, 424–426, 425
- Minimum Password Length (Characters) setting, 611
- MMPC (Microsoft Malware Protection Center), 700
- mobile device and AMT enrollment point role, 195–199, 197–198
- Mobile Device Management While Roaming option, 638
- mobile devices, 18, 603
  - depth management. *See* depth management of mobile devices
  - lite management. *See* lite management of mobile devices
  - new features, 603–604
  - operating systems, 30–32
  - troubleshooting, 645–646
- Mobile Devices option, 233
- Mobile Devices Settings page, 632–633, 633
- models, report, 562–563
- MOF. *See* Microsoft Operations Framework (MOF)
- monitoring, 53
  - application deployment, 326
  - client health, 742–743, 742–743
  - client status, 263
  - distribution point upgrades, 92, 93
  - migration, 66, 82, 83
  - package conversion, 108, 108
  - recovery, 691, 691
  - SCEP, 702
  - software updates, 330, 404–408, 404–407
- moving
  - applications, 292–293
  - reports, 568
  - site databases, 696–697
- MP\_Hinv.log file, 519
- /MP property, 248
- mpcontrol.log file, 179
- mpMSI.log file, 179
- mpSetup.log file, 179
- mtrmgr.log file, 529, 529
- multicast support and Multicast page, 42, 167, 167, 415
- multiple malware detection alerts, 719
- multiple product updates, 335
- multisite environments, recovery in, 692

**N**

## names

- computers, 242
- configuration items, 579
- deployment, 299, 389
- packages, 385
- servers, 159
- software inventoried products, **500**
- software metering rules, 525
- NAP. *See* Network Access Protection (NAP)
- NAP Evaluation tab, **353**
- native uninstall support, **272**
- .NET Framework application, 272
- Netdisc.log file, 242
- Network Access Account page, **420, 420**
- Network Access Account setting, 281
- Network Access Protection (NAP), **18**
  - Active Directory schema, 37
  - compliance, 233
  - report, 539
  - software updates, **353**
  - system health validator, 181
- Network Access Protection Client Agent option, 233
- Network Administration SMF, 10
- Network Discovery Schedule tab, **244, 244**
- Network Location option, 387
- Network report, 539
- networks
  - connectivity, 665
  - describing, **25**
  - discovery. *See* discovering resources
  - software updates, 387
  - speed, 45
- New Computer scenario, 467
- New Distribution Points Wizard, 428
- New Table Or Matrix Wizard, 564
- No Action deployment option, 305
- /NoCRLCheck property, 249
- NOIDMIF files
  - description, **498–499**
  - location, **504–505**
- non-task sequence bootable media, **115–116, 115**
- /noservice property, 248
- Not Applicable package conversion state, 103, **106**
- Number Of Failed Logon Attempts Before Device Is Wiped setting, 611
- Number Of Passwords Remembered setting, 611

**O**

## objects

- content-related, 53
- discovering. *See* discovering resources

- migrating, **54–55, 66, 68, 89–91, 89–90**
- security scopes, **217–218, 218**
- software updates, **335–337**
- Off-Peak Synchronization Frequency option, 638
- Office of Government Commerce (OGC), 2
- offline image servicing, **457–459, 458–459**
- OfflineServicingMgr.log file, 459
- OMRs (Operations Management Reviews), 9, **12–13**
- Only The Instances Of The Objects That Are Assigned To The Specified Security Scopes Or Collections option, 221
- Only When A User Is Logged On option, 304
- Only When No User Is Logged On option, 304
- Operate phase for SMFs, 13
- Operating Quadrant MOF, **8, 10**
- operating system deployment (OSD), **17–18, 411**
  - bare metal, **412, 448–451, 449, 451**
  - client install package, **421–422, 421–422**
  - device drivers, **454–457, 455–457**
  - distribution points, **414–415**
  - driver catalogs, **418**
  - enhancements, **21**
  - images, **415**
    - automatic building and capturing, **436–438, 436–438**
    - boot. *See* boot images
    - deploying, **440–441**
    - offline servicing, **457–459, 458–459**
    - reference computers, **438–440, 439–440**
  - installers, **415–416, 429–430, 430**
  - MDT, **464–470, 465–467, 469**
  - migration objects, **75–76**
  - Network Access account, **420, 420**
  - new features, **411–412**
  - process, **418–419**
  - PXE on distribution points, **426–427, 427**
  - scenarios, **412**
  - state migration points, 414, **424–426, 425**
  - task sequences, **416–418**
    - for capture image, **430–436, 431–435**
    - deploying, **444–448, 445–448**
    - developing, **441–444, 442–444**
    - user device affinity, **418, 459–463, 460–463**
    - user state maintenance, **470–471, 470**
    - USMT packages, **422–424, 423**
- Operating System Deployment Manager role, 549
- operating systems
  - client requirements, **27–32**
  - client support, **234–235**
  - P2V Migration Toolkit requirements, 109
  - report, 539
  - server requirements, **33–36**
- Operations Administrator role, 212, 549



- operations management overview, 1
    - defining, 1–2
    - ITIL, 2–7
    - MOF, 7–13, 13
  - Operations Management Reviews (OMRs), 9, 12–13
  - Operations Manager Alert option, 392
  - Operations Review, 12
  - Operations role cluster, 9
  - Optimizing Quadrant MOF, 7–8, 11–12
  - Option tab for group discovery, 241, 241
  - optional application information, 288
  - Options tab for Software Center, 316, 316
  - ORDER BY keyword, 562
  - Organization Name setting, 232, 355
  - organizational units (OUs), 237
  - out-of-band management, 19–20, 187–189, 188–189
  - out-of-service point role, 47
  - overlapping boundaries, 45
  - Owners option, 294
- P**
- P2V Migration Toolkit, 109
    - non-task sequences, 115–116, 115
    - requirements, 109
    - scenarios, 110
    - steps, 110–114, 111–114
    - task sequences, 110
  - Package Conversion Dashboard, 103, 103, 108
  - Package Conversion Manager, 101–102, 101
  - Package Conversion Wizard, 105–106, 106
  - Package Definition page, 421, 421
  - Package Source setting, 386
  - packages
    - deployment, 338–339, 384–386
    - library, 42
    - migrating, 100–101
      - best practices, 107
      - monitoring, 108, 108
      - Package Conversion Manager, 101–102, 101
      - process, 102–107, 103, 105–106
      - package definition files, 421, 421
      - USMT, 422–424, 423
  - Packages node, 267, 268
  - PackageScanReport.XML file, 108, 108
  - parameters for reports, 552
  - Partner role cluster, 9
  - partner software updates catalogs, 397–398, 398
  - Password Complexity option, 611, 634
  - Password Expiration In Days option, 611
  - Password page, 633–635, 634
  - Password Settings window, 610–611, 611
  - passwords for mobile devices, 610–611, 611, 633–635, 634
  - Patch property, 249
  - Patch Tuesday, 340–341, 341
  - paths, discovery, 237
  - PCMTrace.log file, 108
  - PDP And IMAP Email option, 635
  - Peak Synchronization Frequency option, 638
  - Peak Synchronization page, 637–638, 637
  - Pending state in Asset Intelligence, 479
  - permissions
    - Application Administrator, 213, 213
    - central administration sites, 132
    - clients, 232
    - Configuration Manager deployment, 664
    - reports, 545, 545, 550
    - Software Update Manager, 357
  - Persist Content In The Client Cache option, 300
  - phases in client installation, 261
  - physical locations, 56–57
  - physical-to-virtual Migration Toolkit. *See* P2V Migration Toolkit
  - PkgLib folder, 170, 171
  - PkgXferMgr component, 43
  - Plan phase in SMFs, 13
  - Planning for Site Systems in Configuration Management document, 131
  - Platform Applicability page, 644, 645
  - POC (proof-of-concept) environments, 60
  - policies
    - endpoint protection, 709
      - antimalware, 709–715, 709–714
      - assigning, 716, 716
      - Windows Firewall, 715–716, 715
    - group
      - client installation, 257
      - SCEP, 703
      - settings, 356–357
  - Policy Polling Interval (Minutes) setting, 354
  - Polling Schedule tab, 243, 243
  - POP And IMAP Email option, 612
  - Port Number setting, 618
  - portalwebMSI file, 195
  - portlcl.log file, 195
  - ports
    - proxy points, 618
    - WSUS, 373, 373
  - post-installation phase in client installation, 261
  - post-migration considerations, 99
  - post-recovery tasks, 695–696, 695
  - power control in out-of-band management, 19–20

- power management
  - centralized, **21–22**
  - client setting, **233**
  - report, **539–540**
- PowerShell Execution Policy option, **232**
- pre-deploying user applications, **463, 463**
- pre-installation phase in client installation, **261**
- pre-migration in package conversions, **107**
- preinst.exe tool, **693–694**
- PREREQCHK.EXE.file, **123**
- Prerequisite Check page, **132, 132, 690, 690**
- Prerequisites Downloads page, **128–129, 128**
- Prerequisites Licenses page, **128**
- PrestageContent.log file, **95**
- prestaged content, **44, 270, 289–290, 290**
- prestaged media, **418**
- previously migrated objects, migrating, **69–70**
- Primary Computer Users report, **475**
- Primary Site Installation page, **135–136**
- primary sites, **39–40**
  - active software update points setup
    - child of CAS, **370–372, 371**
    - stand-alone, **372–374**
  - recovering, **692**
  - servers, **120**
    - checklist, **124**
    - implementing, **134–138, 134, 137–138**
- priorities
  - application deployment type, **298**
  - policies, **716, 716**
  - software update distribution, **387**
- private firewall profiles, **716**
- problem management process, **4, 11**
- Process Model, **7**
- Processor Properties node, **477–478**
- processor requirements
  - clients, **27**
  - servers, **33**
- Product Code option, **302**
- Product Key page, **128, 128**
- products in updates, **350–351**
- Products page
  - Software Update Point role, **203–204, 203**
  - software updates, **377, 377**
  - third-party updates, **402, 403**
- profiles for Windows Firewall policies, **716**
- Programs tab, **301–302, 301**
- proof-of-concept (POC) environments, **60**
- Properties dialog box for applications, **293**
- protection, endpoint. *See* System Center Endpoint Protection (SCEP)
- providers in hardware inventory, **506**

- provisioned systems, **187**
- provisioning
  - command lines, **252**
  - workstations, **20**
- proxy management points, **176–177**
- Proxy Server Settings page, **206, 487**
- Proxy Settings option, **397**
- public firewall profiles, **716**
- publishing updates. *See* System Center Updates Publisher (SCUP)
- Purpose setting in application deployment, **310**
- push client installation, **253–257, 255–257**
- PXE and PXE page
  - boot images for, **428–429, 429**
  - configuring, **42**
  - distribution points, **166, 166, 415, 426–427, 427**
  - unknown computer support, **452, 452**
- PXE Service Point Configuration dialog box, **426–427**

## Q

- quadrants in MOF, **7–13**
- queries, **16, 178**
- Query Rule for collections, **219**
- quick antimalware scans, **710**

## R

- RAM requirements
  - clients, **27**
  - servers, **33**
- RBAC (Role-Based Access Control) model, **209**
- RCMCtrl.log file, **668, 668**
- Read-only Analyst role, **212, 549**
- Real-Time Protection page, **712, 712**
- recovery. *See* disaster recovery
- Recursively Search Active Directory Child Containers option, **237**
- reference computer images, **438–440, 439–440**
- References tab
  - sample application, **295, 295**
  - supersedence, **318, 318**
- refresh computer deployment scenario, **412**
- Refresh Interval (Hours) option, **610**
- Registry
  - 64 bit applications, **584**
  - hardware inventory, **507–510, 508–510**
  - Report Builder, **563–564**
  - site installation validation, **146–148, 147–148**
- RegKeyToMof tool, **508–509, 508**
- Release Management process, **5, 10**

- Release Readiness Review SMF, 12
- Release role cluster, 9
- Reliability Workbook, 14
- remediation, client, 261–262, 262
- reminders for client software updates, 354
- remote console for out-of-band management, 20
- remote control, 18
- Remote Desktop option, 613
- remote distribution point throttling, 270
- remote installation, 126
- Remote Tools Operator role, 212
- Remote Tools option for clients, 233
- Removable Storage option, 613, 637
- Repeated Malware Detection alerts, 719
- repeating services point role, 47
- Replace Hardware scenario, 464, 469–470
- replication, 50
  - SQL, 281
  - troubleshooting, 665–669, 665, 667–669
- Report Builder, 563–565, 564–565
- Report Manager, 542–543, 543
- Reporting Services point, 189–191, 190
- Reporting Services Point page, 536, 536
- reporting services site system, 535–536, 536
- reports, 19, 533–534
  - Asset Intelligence, 481–485
  - BIDS, 566–568
  - client health, 743, 743
  - client inventory, 515
  - Compliance Settings, 596–597
  - creating, 561–568, 564–565
  - exporting, 570–571
  - hardware inventory, 496–497
  - importing, 551–552, 569–570
  - linked, 569
  - managing, 550–558
  - migrating, 77
  - migration results, 83
  - models, 562–563
  - moving, 568
  - Report Builder, 563–565, 564–565
  - Reporting Services, 189–191, 190
  - running, 541–543, 542–543
  - SCEP, 723, 723
  - security, 545–550, 545, 558
  - software metering, 474, 530, 540
  - software updates, 381–382, 381, 407–408
  - SQL commands, 561–562
  - SQL Reporting Services, 21
  - SQL Server Reporting Services, 534–538, 536
  - status messages, 659–660
  - subscriptions, 553–555, 558–561, 559
- Require Administrator Approval if Users Request this Application option, 310
- Require Email Encryption/Encryption Algorithm option, 639
- Require Email Signing/Signing Algorithm option, 639
- Require Password Settings On Mobile Devices option, 611, 634
- Require The Site Server To Initiate Connections To This Site System option, 367, 370, 372
- Required Components to Use Administration UI page, 365
- requirements and Requirements tab
  - Application Catalog Web Service Point, 194
  - Application Catalog Web Site Point, 194
  - application deployment, 273, 319–321, 321–322
  - application information, 305–306, 305
  - Asset Intelligence, 473–475, 478
  - clients, 26–32
  - distribution points, 173
  - Endpoint Protection Manager, 205
  - fallback status points, 186
  - management points, 179
  - mobile devices, 198
  - Reporting Services, 191
  - servers, 33–36
  - site servers, 123–125
  - Software Update Point role, 204
  - state migration points, 185
  - system health validator points, 182
- RESETKEYINFORMATION property, 250
- Resource Explorer, 500–501, 501, 514, 515, 518, 519
- resources
  - discovery. *See* discovering resources
  - for security scopes, 216, 217
- Resources folder, 538
- Restart Countdown setting, 352
- Restart Settings page, 352
- restoring backups, 682–685, 684
- Retire/Reinstate option, 290
- /retry property, 248
- return codes, 273–274, 306, 306
- Return Codes tab, 306, 306
- review phase in migration, 81
- Revision History option, 289, 289
- Ribbon options, 288–293, 289–292
- RichCopy application, 272
- roaming
  - global, 37
  - mobile device settings, 638, 638
  - site system roles, 158
- Roaming page, 638, 638

- Role-Based Access Control (RBAC) model, 209
- role-based administration, 53–54, 209
  - administrative users, 220–221, 220, 224–225, 224–226
  - collections, 218–220, 223–224
  - overview, 209–210
  - security
    - roles, 210–213, 211, 213, 221
    - scopes, 214–218, 214–215, 217–218, 221–231, 222–223
  - software updates, 357–358
- roles
  - mobile devices, 616–617
    - Application Catalog web service point, 622, 622
    - distribution point, 621, 621
    - enrollment point, 618–619, 618
    - enrollment proxy point, 617–618, 617
    - management point, 619–620, 619
    - Microsoft enterprise certification authority, 620, 621
  - site system. *See* site system roles
- rules
  - application deployment, 319–320
  - collections, 219
  - configuration baselines, 581, 590–596, 591, 595
  - configuration items, 585–588, 585, 587–588
  - software metering
    - adding, 524–526, 525
    - Automatic Rule Generation, 523–524, 523
    - enabling and disabling, 524
    - migrating, 77
  - software updates, 330, 337, 340–341, 341
  - supersedence, 349
  - System Center Updates Publisher, 358, 399–400, 400
- Run Installation and Uninstall Programs in 32-Bit Process on 64-Bit Clients option, 302
- Run Task As Soon As Possible After A Scheduled Start Is Missed option, 735
- running reports, 541–543, 542–543

## S

- Scan Settings page, 711, 711
- scan state for USMT packages, 422
- scans
  - antimalware policy, 709–711, 709–711
  - software updates, 361
- SCCMContentLib folder, 170, 171
- SCCMContentLib library, 42
- SCEP. *See* System Center Endpoint Protection (SCEP)
- SCEPInstall.exe utility, 705
- Schedule Deployment Re-evaluation setting, 361
- Schedule Evaluation setting, 390
- Scheduled Scans option, 709–710, 709
- scheduled tasks
  - Actions page, 734, 734
  - CCMEval, 736–739, 736, 738–739
  - client health, 732–733, 732–733
  - Conditions page, 734, 734
  - History page, 735, 736
  - Settings page, 735, 735
  - Triggers page, 733, 733
- schedules
  - antimalware scans, 709–710, 709
  - application deployment, 311, 311
  - content distribution, 41–42
  - deployment templates, 337
  - discovery, 243–244, 243–245, 608
  - inventory, 501–502
  - report subscriptions, 559
  - software updates
    - deployments, 390–391, 390
    - scans, 361
    - synchronization, 342, 349, 378, 378
- Scheduling page
  - Deploy Software Updates Wizard, 390–391, 390
  - Deploy Software Wizard, 311, 311
- schema for Active Directory, 36–37
- scheme extensions, 132
- scopes, security, 53, 214, 214
  - applications, 292–293
  - creating, 214–216, 215
  - resources, 216–217, 216–217
  - scenario, 221–231, 222–223
  - viewing, 217–218, 218
- Scratch Space setting, 465
- scripts for client installation, 258, 260
- SCUP (System Center Updates Publisher), 675–676
- search folders in migration, 77
- search options for software updates, 382–384, 382–384
- secondary site servers
  - implementing, 138–145, 139–145
  - overview, 120–121
- secondary sites, 40
  - backing up, 682
  - migrating, 84
  - upgrading, 95–96, 96
- security
  - mobile devices, 613–614, 613, 636–637, 636
  - reports, 545–550, 545, 558
  - roles, 53, 210–213, 211, 213, 221
  - SCEP, 700–702
  - scopes, 53, 214, 214
    - applications, 292–293
    - creating, 214–216, 215

- resources, **216–217**, 216–217
- scenario, **221–231**, 222–223
- viewing, **217–218**, 218
- sites, **51**
- SQL Server Reporting Services, **535**
- Security Administration SMF, **10**
- Security Administrator role, **212**, 549
- Security Compliance Manager, **598–599**, 599
- Security Management SMF, **11**
- Security page
  - application, **297**, 298
  - boot images, 414
  - mobile devices, 636–637, 636
  - operating system images, 415
  - operating system installers, 416
  - unknown computer support, 453, 454
- Security role cluster, **9**
- Security Settings window, **613–614**, 613
- Security Warning window, 399, 399
- SELECT command for reports, 562
- Select Deployment Package option, 385
- Select Deployment Template option, 389
- Select Files page, 599, 599
- Select Media Type page, 434, 434, 453, 453
- Select New Container dialog box, 236, 237
- Selected Language option, 295
- Self-Update option, **357**
- Send Password Recovery PIN To Exchange Server option, 634
- Server Deployment scenario, 464
- Server Language Selection page, 129
- server locator point functionality, **178**
- servers
  - requirements, **32–36**
  - setting migration, 66
  - site. *See* site servers
- Service Continuity Management SMF, **12**
- Service Delivery process, **3**
- service desk function, **4**, 11
- Service Level Agreement Review, 12
- Service-Level Agreements (SLAs), **4**
- Service Level Management (SLM) process, **5**, 11
- Service Management Functions (SMFs), **7–13**
- Service Monitoring and Control SMF, **10**
- /Service property, 248
- Service Support process, **3**
- service validation, **151**, 151
- Services registry key, 148, 148
- Servicing tab, 415
- Set period of time to install Software Updates with a deadline setting, **361**
- Set Security Scope option, **292–293**
- Set Security Scopes window, 216
- Setting Summary page, 131, 131
- settings and Settings page
  - Add Exchange Server Wizard, **609**
  - Application Settings, **614**, 614
  - Email Management Settings, **612–613**, 612
  - General Settings, **610**, 610
  - Password Settings, **610–611**, 611
  - Security Settings, **613–614**, 613
  - Application Deployment, **274**
  - migrating, **76**
  - recovery process, 689, 689
  - scheduled tasks, **735**, 735
  - task sequences, 417
- Settings Management feature, **18**
- Settings Summary page, 689, 689
- Setup Wizard
  - central administration sites, **127–134**, 127–133
  - primary site servers, **134–138**, 134, 137–138
  - System Center Updates Publisher, 395, 395
- Shared (Multi-user) Computers report, 475
- Show Install Status option, 144, 145
- Show Message menu, 658, 658
- Show Notifications For New Deployments option, 232
- Show Settings From All Mobile Device Configuration Items option, 643
- side-by-side migration, **81–82**
  - clients, **96–97**
  - configuring, **85–86**, 85–86
  - distribution points, **87, 91–95**, 92–93, 95
  - process, **82–84**, 83
  - secondary sites, **95–96**, 96
- Signing And Encryption tab, 515
- Simple Schedule option, 504
- Simulate Deployment option, **291**, 291
- Single Computer page, 449, 449, 469
- single instance storage, **269**
- Site and Installation Settings page, 129, 129, 688, 688
- site data, 667, 667
- site database server point role, 47
- Site Maintenance dialog box, 526–527, 527
- site migration point role, 47
- Site Recovery Information page, 687, 687
- Site Repair Wizard, 685
- Site Server and Database Recovery Options page, 686–687, 687
- site servers, **121**
  - backing up, **680–681**, 681
  - checklist, **123–124**
  - implementing, **123**, 123
  - central administration, **125–137**, 127–136

- site servers (*continued*)
  - primary sites, **134–138**, 134, 137–138
  - secondary sites, **138–145**, 139–145
  - software requirements, **123–125**
  - troubleshooting, **152–155**, 152–155
  - unattended installation, **155–157**
  - inventory, **519–520**
  - log files, **651–653**
  - primary, **120**
  - secondary, **120–121**
  - verifying, **145–150**, 146
    - database validation, **152**, 152
    - file system validation, **148**, 149
    - group validation, **149–150**, 150
    - registry validation, **146–148**, 147–148
    - services validation, **151**, 151
    - WMI validation, **150–151**, 151
- Site Status dashboard, 658, 658
- Site System Installation Account setting, 367, 372
- site system roles, **45–47**
  - Application Catalog Web Service Point, **191–195**, 192–194
  - Application Catalog Web Site Point, **191–195**, 192–194
  - Asset Intelligence Synchronization Point, **206–207**, 206
  - component servers, **162**
  - configuring, 137, 137
  - distribution points, **162–174**, 163–174
  - Endpoint Protection Manager, **204–205**, 205
  - fallback status points, **185–187**, 186
  - installing, **157–160**, 158–159
  - management points, **174–179**, 175–176
  - mobile device and AMT enrollment point, **195–199**, 197–198
  - operating system, **33–34**
  - out-of-band management, **187–189**, 188–189
  - overview, **160–162**
  - Reporting Services point, **189–191**, 190
  - site database servers, **180**
  - site servers, **179–180**
  - site systems, **180**
  - Software Update Point, **199–204**, 199–203
  - state migration points, **182–185**, 182–184
  - system health validator points, **180–182**
- Site System Roles page, 137, 137
- site systems, **180**
  - backing up, 674
  - design, **47–49**
  - planning, **58**
- Site tab, 260, 260
- site-to-site communications, 281
- sitecomp.log file, 162, 537
- sites, **37–38**, 38
  - boundaries, **44–45**
  - central administration, **38–39**
  - communications, **50**
  - databases, 47, **696–697**
  - distribution points, **41–44**, 43
  - failure effects, **682–683**
  - maintenance tasks, 648–650
  - migrating, 66
  - primary, **39–40**
  - recovering, **684–685**, 684, 692
  - secondary, **40**
  - security, **51**
  - types, **120–121**, 122
  - upgrading, **95–96**, 96
- 64 bit applications, Registry, 584
- Size Limit (KB) For Email Attachments (Automatically Downloaded) setting, 613
- Size Limit (KB) For HTML Email (Automatically Downloaded) setting, 613
- Size Limit (KB) For Plain Text Email (Automatically Downloaded) setting, 612
- skpswi.dat file, 515
- SLAs (Service-Level Agreements), 4
- SLM (Service Level Management) process, 5, 11
- SMFs (Service Management Functions), **7–13**
- smp.msi file, 185
- smpmsi.log file, 185
- SMS And MMS Messaging option, 614, 637
- SMS\_CCM folder, 148, 149
- SMS Database Monitor, 155
- sms\_def.mof file, 78, 495
- SMS\_Executive component, 153–154, 153
- SMS provider point role, 47
- SMS Provider Settings page, **130–131**
- SMS providers
  - high availability, 49
  - purpose, **155**
  - settings, **130–131**
- SMS registry key, 146
- SMS Site reports, 540
- smsawebvcsetup.log file, 195
- smsbkup.log file, 676, 676, 682
- SMSCacheDir property, 251
- SMSCacheFlags property, **251**
- SMSCacheSize property, 251
- SMSConfigSource property, 251
- smsdbmon.log file, 155, 180
- SMSDIRECTORYLOOKUP property, 251
- SMSDPPROV.LOG file, 92
- Smsenrollsvsetup.log file, 198
- Smsenrollwebsetup.log file, 198
- smsexec.log file, 154, 154

- SMSFSPSetup.log file, 187
- SMSMP property, 251
- smsportwebsetup.log file, 195
- smsprov.log file, 180
- SMSPUBLICROOTKEY property, 250
- smspxe.log file, 427
- SMSROOTKEYPATH property, 250
- SMSSiteCode property, 252
- smssmpsetup.log file, 185
- snapshots
  - archiving, 678–679, 678
  - report properties, 557
- Software Available Time setting, 390
- Software Catalog
  - application deployment, 314, 315
  - application information, 282
  - distribution points, 271
  - primary devices, 322
- software categories for Asset Intelligence, 476
- Software Center
  - application deployment, 314–316, 315–316
  - distribution points, 271
  - software updates, 331, 331
- Software Deployment option, 233
- Software Deployment page, 278–279, 279
- software distribution
  - client installation, 258
  - collections. *See* collections
  - distribution points. *See* distribution points
  - packages. *See* packages
  - reports, 540
- Software Distribution Component Properties dialog box, 280–281, 280
- Software Download While Roaming option, 638
- software families for Asset Intelligence, 476–477
- software inventory
  - clients, 233
  - collecting, 499–500, 499
  - configuring, 511–518, 511–518
- software licenses for Asset Intelligence, 488–491, 488, 490–491
- Software Metering Client Agent, 473–474, 521
- Software Metering feature, 17, 521
  - clients, 528–530, 529
  - configuring, 522–523, 522
  - maintenance tasks, 526–528, 527
  - overview, 521–522
  - reports, 474, 530, 540
  - rules
    - adding, 524–526, 525
    - Automatic Rule Generation, 523–524, 523
    - enabling and disabling, 524
    - migrating, 77
- Software Metering option, 233
- Software Metering Properties dialog box, 523, 523
- Software Metering Summarization Progress report, 527, 527
- Software Metering Usage Report Cycle
  - action, 529, 529
- software reports, 483–484
- software requirements
  - Application Catalog Web Service Point, 194
  - Application Catalog Web Site Point, 194
  - Asset Intelligence Synchronization Point, 207
  - distribution points, 173
  - Endpoint Protection Manager, 205
  - fallback status points, 186
  - management points, 179
  - mobile device and AMT enrollment point role, 198
  - Reporting Services, 191
  - servers, 33–36
  - site servers, 123–125
  - Software Update Point role, 204
  - state migration points, 185
  - system health validator points, 182
- Software Update Catalog, 358
- Software Update Manager role, 212
  - reports, 549
  - software updates, 357–358
- software update point role, 47
  - active. *See* active software update points setup
  - infrastructure, 346
  - install planning, 346–348
  - settings, 199–204, 199–203
  - software updates, 333–334
  - testing, 359–360
- Software Update Scan Schedule setting, 361
- software updates, 17, 329
  - classifications
    - classes, 350
    - configuring, 376, 376
    - metadata, 334–335
  - client installation, 257–258
  - client settings, 355–356, 355
  - compliance, 343–344
  - Computer Client Agent, 353–355, 354
  - deployments, 339–340, 344–345
    - Deploy Software Updates Wizard, 388–395, 389–392
    - packages, 338–339
    - rules, 340–341, 341
    - templates, 337–338
  - downloading, 384–387, 385–386
  - enabling, 233
  - files, 335

- software updates (*continued*)
  - finding, **380–384**, 381–384
  - general settings, **348**
  - goals, **346**
  - group policy settings, **356–357**
  - groups, **330**, **337**, **388**
  - Internet-based settings, **348–349**
  - languages, **351**, 377, 377, 394
  - maintenance windows, **351–352**
  - metadata, **334–335**, 376, 379
  - migrating, **74–75**
  - monitoring, **404–408**, 404–407
  - new features, **329–332**
  - objects, **335–337**
  - planning, **345**
  - prerequisites, **332–333**
  - process, **342**
  - products, **350–351**
  - properties, **353**
  - reports, **381–382**, 381, 540–541
  - role-based administration, **357–358**
  - settings, **375–380**, 376–378
  - software update point role. *See* software update point role
  - Software Updates Client Agent
    - configuring, **360–361**, 360
    - description, **334**
    - summary details, **351**
    - supersedence rules, **349**
    - synchronization, **342–343**, **349**, **375–380**, 376–378
    - System Center Updates Publisher, **358–359**
    - templates, **332**, **337–338**
    - test labs, **359–360**
    - update files, **351**
  - Windows Server Update Services Server
    - console, **365–366**
    - installation, **361–365**, 363
- Software Updates Client Agent, **360–361**, 360
- Software Updates Deployment Evaluation Cycle
  - action, **355**
- Software Updates Scan Cycle action, **355**
- sorting reports, **562**
- Source Directory page, **421**, **422**
- Source Files page, **421**
- source hierarchy, **66–67**, 67, 85
- /source property, **248**
- source sites, migrating, **66**
- Specify A Fully Qualified Domain Name (FQDN) For This Site System On The Intranet option, **370**
- Specify An FQDN For This Site System For Use On The Internet option, **367**
- Specify An FQDN For This Site System On The Intranet option, **372**
- Specify an Internet-based FQDN For This Site System option, **370**, **372**
- Specify Endpoint Protection License page, **704**
- Specify Intranet Microsoft Update Service Location option, **356**
- Specify Microsoft Active Protection Service window, **704**
- Specify Peak Time option, **638**
- Specify The Content Distribution page, **428**
- speed of networks, **45**
- splash.hta file, **127**
- SpyNet, **700**
- SQL
  - considerations, **49–50**
  - memory, **126**, **132**
  - replication, **281**
  - reports
    - commands, **561–562**
    - SQL Reporting Services, **21**, **675**
- SQL Server Management Studio, **534**
- SQL Server Reporting Services (SSRS), **189–190**, **534–538**, **536**
- SQL Server Settings page, **140–141**, **141**
- srsrp.log file, **191**, **538**
- srsrpMSI.log file, **191**, **538**
- srsrpsetup.log file, **191**
- SSRS (SQL Server Reporting Services), **189–190**, **534–538**, **536**
- stand-alone media for task sequences, **418**
- standalone site recovery, **692**
- startup scripts for client installation, **260**
- state-based distribution point groups, **43–44**
- State Message Detail Level setting, **390**
- State Message Reporting Cycle (Minutes) setting, **355**
- State Messaging setting, **234**
- State Migration page, **443**, **443**, **450–451**, **451**
- State Migration Point page, **424–426**, **425**
- state migration points
  - configuring, **424–426**, **425**
  - operating system deployment, **414**
- State Migration report, **541**
- states
  - Asset Intelligence validation, **473**
  - link, **666**
- statistics for in-console monitoring, **404–407**, **404–407**
- Status Message Details dialog box, **659**, **659**
- status messages, **657–659**, **658–659**
  - default reports, **541**
  - deployment, **661–662**
  - distribution, **662–663**
  - distribution point configuration, **663**
  - distribution point groups, **663**



- system, 664
- web reports, 659–660
- Stop Data Gathering dialog box, 99
- Stop The Task If It Takes Longer Than setting, 735
- Storage Card Encryption option, 614, 639
- Storage Folder Settings page, 425, 425
- Storage Management SMF, 10
- Style folder for reports, 538
- Subscription Schedule page, 559
- subscriptions for reports, 553–555, 558–561, 559
- summarization tasks for software metering, 528
- Summarize Installed Software Data task, 474
- Summary Details information for software updates, 351
- Summary page
  - Asset Intelligence, 487
  - client health, 740, 740
  - client installation, 422
  - computer information, 450
  - configuration items, 588, 588
  - Deploy Software Updates Wizard, 394–395, 394
  - device drivers, 457
  - distribution points, 169, 169
  - image capture, 439
  - Microsoft Deployment Toolkit, 470
  - mobile devices, 614–615
  - packages, 424
  - secondary site servers, 143–144, 144
  - task sequences, 436, 443
- supersedence, 343
  - application deployment, 317–318, 317–318
  - Application References, 272
  - software updates, 349
- Supersedence page for applications, 297, 297
- Supersedence Rules page
  - Software Update Point role, 202, 202
  - software updates, 377, 378
- Support role cluster, 9
- Supported Platform page, 644, 644
- Supporting Quadrant MOF, 9–11
- Supports Contacts option, 294
- Suppress Any Required Computer Restart After The Endpoint Protection Client Is Installed option, 232
- Supsetup.log file, 204
- Suspend BitLocker PIN Entry Or Restart option, 232
- suspended software updates, 330–331
- swnproc.log file, 530
- SWMTRReportGen.log file, 530
- Sync Schedule tab, 378, 378
- synchronization
  - Asset Intelligence, 479, 486–487, 487
  - discovery, 608
  - mobile devices, 637–638, 637
  - monitoring, 407, 407
  - software update points, 368–369, 374
  - software updates, 342–343, 349, 375–380, 376–378
- Synchronization Point Schedule page, 487
- Synchronization Schedule page
  - Asset Intelligence Synchronization Point, 207
  - Software Update Point role, 201
- Synchronization Source page, 200, 201, 371, 371
- Synchronize From An Upstream Update Server option, 368, 374
- Synchronize From Microsoft Update option, 368, 374
- System Administration SMF, 10
- System Center Endpoint Protection (SCEP), 22, 699
  - alerts, 719–722, 720–722
  - benefits, 700–702
  - definition files, 717–719, 717–718
  - Endpoint Protection client agent, 705–709, 706–708
  - Endpoint Protection Point role, 702–705, 704
  - endpoint protection policies, 709
    - antimalware, 709–715, 709–714
    - assigning, 716, 716
    - Windows Firewall, 715–716, 715
  - vs. FEP, 699
  - malware scenario, 723–728, 724–728
  - reporting, 723, 723
  - settings, 232–233
- System Center Online service, 476
- System Center Updates Publisher (SCUP), 127, 342, 395
  - backups, 675–676
  - configuring, 396–397, 396–397
  - importing updates, 398–399, 399
  - installing, 395–396, 395
  - overview, 358–359
  - partner software updates catalogs, 397–398, 398
  - publishing updates, 401–402, 401
  - rules, 399–400, 400
  - third-party updates, 402–404, 403
- system discovery, 52, 239–240, 240
- system health validator point role, 47, 180–182
- system requirements
  - client, 26–32
  - servers, 32–36
  - System Center Updates Publisher, 358–359
- System Restart Turnaround Time setting, 352
- system role. *See* site system roles
- System Role Selection page
  - Asset Intelligence, 487
  - reporting site role, 535
  - state migration points, 424

system status messages, **664**  
 system updates. *See* System Center Updates Publisher (SCUP)  
 systems management, **1**

## T

Task Sequence Designer, **111, 112**  
 Task Sequence Information page, **442, 450**  
 task sequences  
   capture images, **430–436, 431–435**  
   deploying, **444–448, 445–448**  
   developing, **441–444, 442–444**  
   MDT, **466–469, 467, 469**  
   media boot, **433–436, 434–435**  
   operating system deployment, **416–418, 450–451, 451**  
   P2V Migration Toolkit, **110–114, 111–114**  
   reports, **541**  
 Team Model, **8**  
 Technology setting, **299**  
 templates for software updates, **332, 337–338**  
 test labs, **359–360**  
 test phase in migration, **80–81**  
 testing  
   site backups, **681, 681**  
   software update points, **359–360**  
 thin images, **419**  
 3rd party license information, **490–491, 491**  
 third-party updates, **402–404, 403**  
 Threat Overrides page, **713, 713**  
 thresholds for alerts, **721, 721**  
 throttling  
   content distribution, **41–42**  
   remote distribution point, **270**  
 time stamps for log files, **328**  
 Trace utility, **328**  
 Trace32 utility, **154**  
 Triggers page, **733, 733**  
 troubleshooting, **647**  
   Application Catalog Web Service Point, **194–195**  
   Application Catalog Web Site Point, **194–195**  
   application deployment, **325–328, 326**  
   Asset Intelligence Synchronization Point, **207**  
   backups, **682**  
   client installation, **261**  
   Configuration Manager deployment, **664–665**  
   Database Replication, **665–669, 665, 667–669**  
   distribution points, **173–174, 174**  
   Endpoint Protection Manager, **205**  
   enrollment proxy point and enrollment point, **198–199**

  fallback status points, **187**  
   inventory, **518–521**  
   log files for, **651–657**  
   maintenance plans for, **647–651, 648**  
   management points, **179**  
   mobile devices, **645–646**  
   Reporting Services, **191**  
   scenario, **669–671**  
   site database servers, **180**  
   site servers, **152–155, 152–155**  
   Software Update Point role, **204**  
   state migration points, **185**  
   status messages for, **657–664, 658–659**  
 Trusted Publishers option, **397**  
 Type of Deployment setting, **390**

## U

unattended site server installation, **155–157**  
 Uncategorized state in Asset Intelligence, **479**  
 Unhealthy Client Details reports, **263**  
 Uninstall Program option, **302**  
 /Uninstall property, **249**  
 Uninstall Start In option, **302**  
 unknown computer support, **452–455, 452–455**  
 Unknown package conversion state, **103**  
 Unknown status in monitoring, **405**  
 unmanaged scenarios, SCEP in, **702–703**  
 Unsigned Applications option, **614, 637**  
 Unsigned File Installation option, **614, 637**  
 Update Files setting, **351**  
 Update lists feature, **332**  
 Update Prerequisite Components page, **688, 688**  
 Update Server option, **396**  
 Update/Update Group option, **390**  
 Updateable state in Asset Intelligence, **479**  
 Updated Prerequisite Components page, **135**  
 updates  
   clients, **259, 259**  
   security, **717–719, 717–718**  
   software. *See* software updates  
 Upgrade Assessment - Windows 7 report, **541**  
 Upgrade Shared Distribution Point wizard, **91–92, 92**  
 upgrading  
   administrative console, **84**  
   Configuration Manager console, **98–99**  
   distribution points, **83–84, 91–95, 92–93, 95**  
   secondary sites, **95–96, 96**  
 Use default distribution point groups associated to this collection option, **308–309**  
 Use This Server As The Active Software Update Server option, **375**

- Use Wake-On-LAN to Wake up Clients for Required Deployment option, 390
- /UsePKICert property, 249
- User And Device Affinity settings, 234, 279, 280
- User Categories option, 295
- user-centric focus for distribution points, 271
- user configuration for mobile devices, 624–631, 625–631
- User-defined state in Asset Intelligence, 478
- User Device Affinity
  - application deployment, 322–325, 323–325
  - configuring, 459–463, 460–463
  - operating system deployment, 418
  - report, 541
- User Device Affinity Usage Threshold (Days) setting, 461
- User Device Affinity Usage Threshold (Minutes) setting, 461
- User Documentation option, 295
- User-Driven Installation scenario, 464
- User Experience settings
  - application deployment, 303–305, 303
  - Deploy Software Updates Wizard, 391–392, 391
  - Deploy Software Wizard, 312, 312
  - deployment templates, 337
  - task sequence deployment, 446
  - visual experience, 391–392
- user facing packages, 101
- user focused service support, 3
- User State Migration Tool (USMT)
  - documentation, 424
  - package creation, 422–424, 423
- users
  - administrative, 220–221, 220, 224–225, 224–226
  - discovery, 52, 240
  - report, 541
  - state management, 470–471, 470
- UserState task category, 417

## V

- Validated state in Asset Intelligence, 478
- validation
  - Asset Intelligence states, 478–479
  - configuration baseline rules, 594–596, 595
  - configuration items, 585–588, 585, 587–588
  - content, 43, 43
  - databases, 152, 152
  - file systems, 148, 149
  - groups, 149–150, 150
  - registry, 146–148, 147–148
  - services, 151, 151
  - WMI, 150–151, 151
- validator points, 180–182

- vendor updates, 358
- verification
  - client installation, 260–261, 260
  - site servers, 145–150, 146
    - database validation, 152, 152
    - file system validation, 148, 149
    - group validation, 149–150, 150
    - Registry validation, 146–148, 147–148
    - services validation, 151, 151
    - WMI validation, 150–151, 151
- version setting for software metering rules, 525–526
- viewing
  - inventory information, 500–501, 501
  - software inventory, 514, 515, 517–518, 518
- Virtual Application Name setting, 619
- virtual application package migration, 74
- Virtual Applications report, 541
- Volume Shadow Copy Service (VSS), 673

## W

- Wake on LAN feature
  - description, 18
  - report, 541
- WCM.log file, 204
- web reports for status messages, 659–660
- Web Site Name setting, 618
- Web Site Selection page, 363, 363
- Website Name/Port Number setting, 619
- Whether Or Not A User Is Logged On option, 304
- wildcards in Compliance Settings, 584
- Windows 7 operating system support, 28
- Windows event log settings, 475
- Windows Firewall policies, 715–716, 715
- Windows Management Instrumentation (WMI), 150–151, 151, 344
- Windows Server 2003 operating system support, 29
- Windows Server 2008 operating system support, 29–30
- Windows Server Update Services (WSUS), 17, 329
  - central administration sites, 132
  - console, 365–366
  - database backups, 675
  - description, 332
  - installing, 361–365, 363
  - ports, 373, 373
  - reporting events, 349
  - software update points, 346
  - Synchronization Manager, 342–343
- Windows Update Agent (WUA)
  - compliance, 343
  - event messages, 349
  - software updates, 356

- Windows Vista operating system support, **28**
- Windows XP operating system support, **27**
- wipe-and-load migration, **97–100, 100**
- Wireless Communications page, **640–641, 640**
- Wireless Network Connection window, **641, 641**
- Wireless Network Connections option, **613**
- Wizard Completed screen
  - captured image, **441**
  - compliance, **343**
  - distribution points, **428**
  - task sequences, **436**
  - USMT packages, **424**
- WMI (Windows Management Instrumentation),  
**150–151, 151, 344**
- Work Information setting, **356**
- Workforce Management SMF, **11**
- workstations as distribution points, **269**
- WSUS. *See* Windows Server Update Services (WSUS)
- WSUSCtrl.log file, **204**
- wsusutil.exe utility, **74–75, 379–380**
- WSYNCMGR.log file, **204**
- WUA (Windows Update Agent)
  - compliance, **343**
  - event messages, **349**
  - software updates, **356**